

**Appendix 1**

Date and time of sample	Total Chlorine	Units
02/01/2024 07:44	0.84	MG/L
05/01/2024 11:41	0.87	MG/L
10/01/2024 09:45	0.82	MG/L
16/01/2024 07:46	0.74	MG/L
18/01/2024 10:59	0.9	MG/L
22/01/2024 11:39	0.87	MG/L
23/01/2024 09:24	0.64	MG/L
26/01/2024 09:30	0.91	MG/L
30/01/2024 11:22	0.71	MG/L
31/01/2024 11:00	0.61	MG/L
01/02/2024 12:04	0.6	MG/L
02/02/2024 10:00	0.54	MG/L
08/02/2024 09:06	0.51	MG/L
09/02/2024 10:35	0.42	MG/L
12/02/2024 09:08	0.56	MG/L
13/02/2024 09:33	0.55	MG/L
15/02/2024 10:52	0.57	MG/L
16/02/2024 10:25	0.6	MG/L
19/02/2024 16:32	0.7	MG/L
26/02/2024 11:28	0.81	MG/L
27/02/2024 10:35	0.53	MG/L
29/02/2024 07:54	0.62	MG/L
06/03/2024 10:32	0.55	MG/L
08/03/2024 08:49	0.52	MG/L
16/03/2024 09:23	0.66	MG/L
17/03/2024 12:29	0.68	MG/L
20/03/2024 16:44	0.74	MG/L
27/03/2024 10:24	0.68	MG/L
28/03/2024 07:49	0.5	MG/L
30/03/2024 10:32	0.49	MG/L
03/04/2024 07:45	0.58	MG/L

Date and time of sample	Free Chlorine	Units
02/01/2024 07:44	0.81	MG/L
05/01/2024 11:41	0.8	MG/L
10/01/2024 09:45	0.75	MG/L
16/01/2024 07:46	0.7	MG/L
18/01/2024 10:59	0.84	MG/L
22/01/2024 11:39	0.66	MG/L
23/01/2024 09:24	0.61	MG/L
26/01/2024 09:30	0.78	MG/L
30/01/2024 11:22	0.63	MG/L
31/01/2024 11:00	0.5	MG/L
01/02/2024 12:04	0.54	MG/L
02/02/2024 10:00	0.48	MG/L
08/02/2024 09:06	0.46	MG/L
09/02/2024 10:35	0.39	MG/L
12/02/2024 09:08	0.52	MG/L
13/02/2024 09:33	0.52	MG/L
15/02/2024 10:52	0.46	MG/L
16/02/2024 10:25	0.48	MG/L
19/02/2024 16:32	0.55	MG/L
26/02/2024 11:28	0.74	MG/L
27/02/2024 10:35	0.49	MG/L
29/02/2024 07:54	0.57	MG/L
06/03/2024 10:32	0.48	MG/L
08/03/2024 08:49	0.48	MG/L
16/03/2024 09:23	0.54	MG/L
17/03/2024 12:29	0.62	MG/L
20/03/2024 16:44	0.62	MG/L
27/03/2024 10:24	0.63	MG/L
28/03/2024 07:49	0.46	MG/L
30/03/2024 10:32	0.34	MG/L
03/04/2024 07:45	0.53	MG/L

04/04/2024 10:12	0.55	MG/L
09/04/2024 07:42	0.56	MG/L
10/04/2024 09:36	0.51	MG/L
15/04/2024 07:48	0.55	MG/L
18/04/2024 09:23	0.38	MG/L
19/04/2024 07:55	0.57	MG/L
23/04/2024 07:53	0.49	MG/L
24/04/2024 07:45	0.37	MG/L
25/04/2024 10:35	0.77	MG/L
01/05/2024 07:39	0.66	MG/L
02/05/2024 08:09	0.59	MG/L
07/05/2024 10:39	0.56	MG/L
08/05/2024 14:46	0.61	MG/L
09/05/2024 07:41	0.64	MG/L
13/05/2024 09:39	0.75	MG/L
17/05/2024 08:45	0.51	MG/L
20/05/2024 17:37	0.58	MG/L
22/05/2024 11:12	0.66	MG/L
28/05/2024 08:55	0.39	MG/L
31/05/2024 09:53	0.71	MG/L
04/06/2024 14:26	0.41	MG/L
06/06/2024 07:38	0.65	MG/L
08/06/2024 08:59	0.94	MG/L
10/06/2024 14:47	0.85	MG/L
12/06/2024 11:38	0.82	MG/L
13/06/2024 13:12	0.6	MG/L
14/06/2024 10:00	0.79	MG/L
20/06/2024 10:32	0.76	MG/L
21/06/2024 14:05	0.88	MG/L
24/06/2024 07:57	0.31	MG/L
26/06/2024 12:00	0.66	MG/L
28/06/2024 09:09	0.29	MG/L
02/07/2024 09:04	0.58	MG/L

04/04/2024 10:12	0.48	MG/L
09/04/2024 07:42	0.52	MG/L
10/04/2024 09:36	0.47	MG/L
15/04/2024 07:48	0.51	MG/L
18/04/2024 09:23	0.32	MG/L
19/04/2024 07:55	0.52	MG/L
23/04/2024 07:53	0.44	MG/L
24/04/2024 07:45	0.33	MG/L
25/04/2024 10:35	0.72	MG/L
01/05/2024 07:39	0.59	MG/L
02/05/2024 08:09	0.54	MG/L
07/05/2024 10:39	0.4	MG/L
08/05/2024 14:46	0.54	MG/L
09/05/2024 07:41	0.6	MG/L
13/05/2024 09:39	0.69	MG/L
17/05/2024 08:45	0.44	MG/L
20/05/2024 17:37	0.46	MG/L
22/05/2024 11:12	0.41	MG/L
28/05/2024 08:55	0.33	MG/L
31/05/2024 09:53	0.58	MG/L
04/06/2024 14:26	0.35	MG/L
06/06/2024 07:38	0.6	MG/L
08/06/2024 08:59	0.84	MG/L
10/06/2024 14:47	0.72	MG/L
12/06/2024 11:38	0.6	MG/L
13/06/2024 13:12	0.44	MG/L
14/06/2024 10:00	0.69	MG/L
20/06/2024 10:32	0.72	MG/L
21/06/2024 14:05	0.82	MG/L
24/06/2024 07:57	0.2	MG/L
26/06/2024 12:00	0.56	MG/L
28/06/2024 09:09	0.19	MG/L
02/07/2024 09:04	0.41	MG/L

04/07/2024 09:10	0.57	MG/L
10/07/2024 10:22	0.56	MG/L
17/07/2024 14:40	0.63	MG/L
18/07/2024 12:37	0.65	MG/L
24/07/2024 11:54	0.53	MG/L
26/07/2024 15:45	0.45	MG/L
28/07/2024 15:07	0.58	MG/L
30/07/2024 11:09	0.57	MG/L
01/08/2024 10:06	0.89	MG/L
02/08/2024 15:32	0.77	MG/L
06/08/2024 07:48	0.57	MG/L
13/08/2024 08:19	0.58	MG/L
14/08/2024 13:59	0.74	MG/L
19/08/2024 07:39	0.66	MG/L
20/08/2024 08:39	0.31	MG/L
28/08/2024 09:47	0.86	MG/L
02/09/2024 09:17	0.71	MG/L
05/09/2024 09:32	0.82	MG/L
10/09/2024 16:00	1	MG/L
11/09/2024 08:26	0.71	MG/L
19/09/2024 07:49	0.39	MG/L
26/09/2024 11:17	0.83	MG/L
30/09/2024 09:27	0.48	MG/L
01/10/2024 12:15	0.73	MG/L
02/10/2024 07:46	0.26	MG/L
11/10/2024 11:37	0.36	MG/L
14/10/2024 09:39	0.56	MG/L
15/10/2024 10:52	0.56	MG/L
17/10/2024 09:27	0.58	MG/L
24/10/2024 10:41	0.62	MG/L
28/10/2024 13:52	0.65	MG/L
29/10/2024 11:49	0.24	MG/L
30/10/2024 12:16	0.55	MG/L

04/07/2024 09:10	0.53	MG/L
10/07/2024 10:22	0.54	MG/L
17/07/2024 14:40	0.51	MG/L
18/07/2024 12:37	0.57	MG/L
24/07/2024 11:54	0.39	MG/L
26/07/2024 15:45	0.28	MG/L
28/07/2024 15:07	0.45	MG/L
30/07/2024 11:09	0.57	MG/L
01/08/2024 10:06	0.71	MG/L
02/08/2024 15:32	0.62	MG/L
06/08/2024 07:48	0.53	MG/L
13/08/2024 08:19	0.54	MG/L
14/08/2024 13:59	0.72	MG/L
19/08/2024 07:39	0.62	MG/L
20/08/2024 08:39	0.26	MG/L
28/08/2024 09:47	0.74	MG/L
02/09/2024 09:17	0.67	MG/L
05/09/2024 09:32	0.77	MG/L
10/09/2024 16:00	0.83	MG/L
11/09/2024 08:26	0.61	MG/L
19/09/2024 07:49	0.34	MG/L
26/09/2024 11:17	0.76	MG/L
30/09/2024 09:27	0.3	MG/L
01/10/2024 12:15	0.56	MG/L
02/10/2024 07:46	0.21	MG/L
11/10/2024 11:37	0.28	MG/L
14/10/2024 09:39	0.53	MG/L
15/10/2024 10:52	0.52	MG/L
17/10/2024 09:27	0.51	MG/L
24/10/2024 10:41	0.55	MG/L
28/10/2024 13:52	0.57	MG/L
29/10/2024 11:49	0.09	MG/L
30/10/2024 12:16	0.4	MG/L

31/10/2024 14:38	0.42	MG/L
01/11/2024 08:16	0.66	MG/L
05/11/2024 10:22	0.48	MG/L
13/11/2024 07:38	0.62	MG/L
13/11/2024 15:56	0.22	MG/L
14/11/2024 09:39	0.59	MG/L
14/11/2024 15:36	0.33	MG/L
16/11/2024 10:25	0.56	MG/L
18/11/2024 09:46	0.68	MG/L
19/11/2024 07:52	0.57	MG/L
21/11/2024 07:41	0.45	MG/L
25/11/2024 10:04	0.75	MG/L
26/11/2024 13:36	0.55	MG/L
28/11/2024 07:42	0.56	MG/L
02/12/2024 07:46	0.57	MG/L
05/12/2024 10:19	0.42	MG/L
09/12/2024 17:38	0.68	MG/L
11/12/2024 09:41	0.72	MG/L
12/12/2024 08:49	0.76	MG/L
16/12/2024 13:29	0.89	MG/L
17/12/2024 10:31	0.91	MG/L
19/12/2024 09:54	0.59	MG/L
31/12/2024 09:53	0.66	MG/L
02/01/2025 11:27	0.84	MG/L
03/01/2025 09:36	0.68	MG/L
03/01/2025 10:02	0.76	MG/L
06/01/2025 08:33	0.65	MG/L
06/01/2025 09:13	0.72	MG/L
07/01/2025 09:37	0.42	MG/L
08/01/2025 08:01	0.62	MG/L
09/01/2025 10:24	0.75	MG/L
09/01/2025 10:47	1	MG/L
10/01/2025 10:48	0.39	MG/L

31/10/2024 14:38	0.28	MG/L
01/11/2024 08:16	0.61	MG/L
05/11/2024 10:22	0.43	MG/L
13/11/2024 07:38	0.55	MG/L
13/11/2024 15:56	0.06	MG/L
14/11/2024 09:39	0.55	MG/L
14/11/2024 15:36	0.27	MG/L
16/11/2024 10:25	0.45	MG/L
18/11/2024 09:46	0.57	MG/L
19/11/2024 07:52	0.53	MG/L
21/11/2024 07:41	0.4	MG/L
25/11/2024 10:04	0.71	MG/L
26/11/2024 13:36	0.44	MG/L
28/11/2024 07:42	0.52	MG/L
02/12/2024 07:46	0.53	MG/L
05/12/2024 10:19	0.38	MG/L
09/12/2024 17:38	0.66	MG/L
11/12/2024 09:41	0.68	MG/L
12/12/2024 08:49	0.71	MG/L
16/12/2024 13:29	0.85	MG/L
17/12/2024 10:31	0.77	MG/L
19/12/2024 09:54	0.51	MG/L
31/12/2024 09:53	0.61	MG/L
02/01/2025 11:27	0.71	MG/L
03/01/2025 09:36	0.64	MG/L
03/01/2025 10:02	0.72	MG/L
06/01/2025 08:33	0.61	MG/L
06/01/2025 09:13	0.64	MG/L
07/01/2025 09:37	0.36	MG/L
08/01/2025 08:01	0.58	MG/L
09/01/2025 10:24	0.7	MG/L
09/01/2025 10:47	0.75	MG/L
10/01/2025 10:48	0.33	MG/L

13/01/2025 12:24	0.72	MG/L
14/01/2025 13:08	0.49	MG/L
14/01/2025 14:10	0.41	MG/L
20/01/2025 08:28	0.74	MG/L
22/01/2025 08:13	0.53	MG/L
23/01/2025 12:47	0.59	MG/L
24/01/2025 12:03	0.72	MG/L
27/01/2025 09:41	0.7	MG/L
28/01/2025 09:53	0.67	MG/L
28/01/2025 11:53	0.68	MG/L
29/01/2025 12:29	0.4	MG/L
30/01/2025 12:52	0.75	MG/L
04/02/2025 10:12	0.79	MG/L
05/02/2025 12:12	0.59	MG/L
06/02/2025 15:46	0.72	MG/L
07/02/2025 16:48	0.74	MG/L
08/02/2025 10:29	0.66	MG/L
11/02/2025 09:59	0.8	MG/L
14/02/2025 12:45	0.74	MG/L
15/02/2025 09:28	0.74	MG/L
17/02/2025 15:45	0.81	MG/L
18/02/2025 09:10	0.7	MG/L
19/02/2025 13:27	0.65	MG/L
20/02/2025 12:04	0.76	MG/L
21/02/2025 12:47	0.78	MG/L
25/02/2025 16:12	0.72	MG/L
26/02/2025 11:01	0.83	MG/L
27/02/2025 11:16	0.97	MG/L

13/01/2025 12:24	0.54	MG/L
14/01/2025 13:08	0.37	MG/L
14/01/2025 14:10	0.32	MG/L
20/01/2025 08:28	0.66	MG/L
22/01/2025 08:13	0.5	MG/L
23/01/2025 12:47	0.55	MG/L
24/01/2025 12:03	0.56	MG/L
27/01/2025 09:41	0.55	MG/L
28/01/2025 09:53	0.61	MG/L
28/01/2025 11:53	0.55	MG/L
29/01/2025 12:29	0.26	MG/L
30/01/2025 12:52	0.72	MG/L
01/02/2025 10:28	0.6	MG/L
04/02/2025 10:12	0.69	MG/L
05/02/2025 12:12	0.55	MG/L
06/02/2025 15:46	0.65	MG/L
07/02/2025 16:48	0.69	MG/L
08/02/2025 10:29	0.55	MG/L
11/02/2025 09:59	0.73	MG/L
14/02/2025 12:45	0.71	MG/L
15/02/2025 09:28	0.66	MG/L
17/02/2025 15:45	0.66	MG/L
18/02/2025 09:10	0.59	MG/L
19/02/2025 13:27	0.6	MG/L
20/02/2025 12:04	0.65	MG/L
21/02/2025 12:47	0.7	MG/L
25/02/2025 16:12	0.61	MG/L
26/02/2025 11:01	0.65	MG/L
27/02/2025 11:16	0.83	MG/L