



Water for the North West

United Utilities Water Limited

Haweswater House
Lingley Mere Business Park
Lingley Green Avenue
Great Sankey
Warrington WA5 3LP

Telephone: 01925 237000

unitedutilities.com

Our ref: EIR/ID311

Date: 06/03/2025

Email: EIRRequests@uuplc.co.uk

Dear [REDACTED],

EIR Reference: EIR/ID/311

Thank you for reaching out with your request! We appreciate your interest, and we want to let you know that your request has been carefully considered in accordance with the Environmental Information Regulations (EIR).

I refer to your works on Bankfield Lane in Southport in both 2021 and 2022. I expect this may have been one entire project spanning both years.

Please advise the following:

Exact start and end dates (of each phase if appropriate) and details of any breaks – 4 events of road closure for works. First being 19th April 2022 until 4th November 2022 (139 working days). The second being 19th April 2022 until 15th July 2022 (61 working days). The third being 7th November 2022 until 2nd December 2022 (20 working days) and the fourth being 24th June 2023 until 26th June 2023 (1 working day).

Location of the works on Bankfield Lane – The location for the works between two specific locations. The first being 82 Bankfield Lane, Southport, PR9 7NL and the second being Junction at Verulam Road, Southport, PR9 7NR.

Level of traffic management – There was a total of 22 traffic management signs deployed during the road closure. This started with an advanced warning sign dating when the closure would take place. This was followed by a road closure sign and warning sign of the road works. The other 19 signs were then diversion signs, diversion directional signs, residents only access signs and further road closure and diversion signs.

Diversion routes – There are 2 diversion routes. We have provided from the closure plan reports., to confirm.

We hope that this response answers your request. However, if you're not satisfied with how we've handled it, you can request an internal review. To do this, please write to us at Environmental Information Office, Haweswater House, Lingley Mere, Warrington, WA5 3LP or email us at EIRRequests@uuplc.co.uk, addressing your request to [REDACTED], and explaining why you're unhappy with our response. We'll be very happy to review your request and ensure we've done everything we can to assist you.

Any request for an internal review should be made within 40 working days of receipt of this response, and we will reply within 40 working days from receipt of the request for internal review.

Kind regards