



Water for the North West

**United Utilities Water Limited**  
Haweswater House  
Lingley Mere Business Park  
Lingley Green Avenue  
Great Sankey  
Warrington WA5 3LP

Telephone: 01925 237000

[unitedutilities.com](http://unitedutilities.com)

**Our ref:** EIR-671

**Date:** 16/02/2026

**Email:** [EIRRequests@uuplc.co.uk](mailto:EIRRequests@uuplc.co.uk)

Dear [REDACTED]

Thank you for your request for environmental information. We appreciate your interest, and we want to let you know that your request has been carefully considered in accordance with the Environmental Information Regulations (EIR).

**Your request:**

I am currently working with Natural England on a project looking at wastewater discharges near to protected marine sites. Please could I receive daily wastewater final effluent discharge volumes from the following sites (i have an excel containing further identification details if required):

- ABBEY TOWN WWTW
- ALLERBY WWTW
- ALLER ALLONBY WWTW
- ALLON ASPATRIA WASTEWATER TREATMENT WORKS
- BIRKBY STW
- BLENNERHASSET WWTW
- BLENN BLINDCRAKE WWTW
- BOTHEL WASTEWATER TREATMENT WORKS
- BRANTHWAITE STW
- BRIDEKIRK WWTW
- BROMFIELD WWTW
- BROUGHTON CROSS STW
- BULLGILL WASTEWATER TREATMENT WORKS
- CAMERTON WWTW
- CAMER COCKERMOUTH WWTW
- CROSSCANONBY WWTW
- DEARHAM WASTEWATER TREATMENT WORKS
- DOVENBY WWTW
- DOVEN EAGLESFIELD WWTW
- EAGLE EDDERSIDE STW
- EMBLETON WWTW
- FLETCHERTOWN STW
- GILCRUX WWTW
- GREAT BROUGHTON WWTW
- GREAT CLIFTON STW
- GREENGILL STW

- GREYSOUTHEN WWTW
- HAYTON WASTEWATER TREATMENT WORKS
- LITTLE CLIFTON STW
- PARDSHAW STW
- PLUMBLAND WWTW
- PROSPECT AND OUGHTERSIDE WWTW
- REDMAIN STW
- SILLOTH WASTEWATER TREATMENT WORKS
- SUNDERLAND STW
- THREAPLAND WWTW
- TORPENHOW WWTW (TORPE)
- ULLOCK STW
- WARDHALL GUARDS STW
- WATCH HILL STW
- WATCHHILL (WEST) WWTW
- WESTMOOR END STW
- WESTNEWTON WWTW
- WILLIAMSGATE WTW
- WORKINGTON WWTW

**Our response:**

Please see enclosed a copy of the requested data in Appendix 1. Please note that a number of the requested sites do not have flow meters and as such, we have been unable to provide flow data for these in line with Regulation 12(4)(a) of the EIR.

Additionally, whilst you have requested the data from 2015 to 2025, we are currently only able to provide you with the data from 2015 to 2024, as the 2025 data is undergoing validation. This is due to be finalised by the beginning of March, at which time I will then forward you a copy of the data.

We hope that this response answers your request. However, if you're not satisfied with how we've handled it, you can request an internal review. To do this, please write to us at Environmental Information Office, Haweswater House, Lingley Mere, Warrington, WA5 3LP or email us at [EIRRequests@uuplc.co.uk](mailto:EIRRequests@uuplc.co.uk), addressing your request to [REDACTED] and explaining why you're unhappy with our response. We'll be very happy to review your request and ensure we've done everything we can to assist you.

Any request for an internal review should be made within 40 working days of receipt of this response, and we will reply within 40 working days from receipt of the request for internal review.

Many thanks

[REDACTED]

We'd love to hear your feedback on how we handled your request! If you have a moment, please complete our short survey [here](#) – your input helps us improve our service.