



United Utilities Water Limited
Haweswater House
Lingley Mere Business Park
Lingley Green Avenue
Great Sankey
Warrington WA5 3LP

Telephone: 01925 237000

unitedutilities.com

Our ref: EIR/ID719
Date: 25/02/2026
Email: EIRRequests@uuplc.co.uk

Dear [REDACTED],

Thank you for your request for environmental information. We appreciate your interest, and we want to let you know that your request has been carefully considered in accordance with the Environmental Information Regulations (EIR).

Your request:

Can you provide me with the most up to date asbestos survey for Sale Wastewater Treatment works. Postcode M33 [REDACTED]

Our response:

Please see the attached PDF document, titled *Appendix A – Sale WwTW* which is the most recent asbestos site survey for Sale Wastewater Treatment Works. Please note that to comply with general data protection regulations, this document has been redacted to remove personal data from the survey.

As you will see the survey attached as Appendix A is dated 16/01/2024, with the date of the next survey being shown as 31/01/2025. The survey originally due for January 2025 did not take place because our review program was paused last year due to a software change-over, with the programme being restarted in January 2026. As a result of this pause to the programme, the 16/01/2024 reinspection is the most up to date information that we hold for this site, with the next inspection of the site now expected to be completed in the Spring of 2026.

We hope that this response answers your request. However, if you're not satisfied with how we've handled it, you can request an internal review. To do this, please write to us at Environmental Information Office, Haweswater House, Lingley Mere, Warrington, WA5 3LP or email us at EIRRequests@uuplc.co.uk, addressing your request to [REDACTED], and explaining why you're unhappy with our response. We'll be very happy to review your request and ensure we've done everything we can to assist you.

Any request for an internal review should be made within 40 working days of receipt of this response, and we will reply within 40 working days from receipt of the request for internal review.

Many thanks