



United Utilities Water Limited
Haweswater House
Lingley Mere Business Park
Lingley Green Avenue
Great Sankey
Warrington WA5 3LP

Telephone: 01925 237000

unitedutilities.com

Our ref: EIR/ID989
Date: 01/10/2026
Email: EIRRequests@uuplc.co.uk

Dear [REDACTED],

Thank you for your request for environmental information. We appreciate your interest, and we want to let you know that your request has been carefully considered in accordance with the Environmental Information Regulations (EIR).

Your request:

Please can I have the records held by United Utilities for works reference HZ75480060202 on London Road, Hazel Grove. I am looking for: the final works programme and records of the actual start and finish dates; all permit versions and any requests to change, extend or vary them; traffic management plans or drawings used for the works, including lane closures, pedestrian arrangements and access arrangements; site diary, works-completion, reinstatement and inspection records showing what was done and when; any records showing a change in the traffic management or the extent/location of the works while they were underway. Electronic copies are fine. If any item is not held, please say so.

Our response:

Please find attached an overview map of the A6 Stockport scheme, titled Appendix A, and below are start and completion dates for each phase.

Phase 1-06/04/2021 -17/05/2021

Phase 2 - 20/5/21 - September 2021

Phase 3 – September 2021 - November 2021

Phase 4A – February 2022 – March 2022

Phase 4B – May 2022 – June 2022

Phase 5 – March 2022 – May 2022

We have also attached a signed copy of the Asset Impact Team (AIT) completion form, titled Appendix B. This document has been redacted to remove personal information under GDPR and Regulation 13 of the Environmental Information Regulations 2004.

We do not have any traffic management plans as these were put together by a third-party company, Network Plus, and submitted to the Highways Agency as part of the permit. Therefore, under Regulation 12(4)(e) of Environmental Information Regulations 2004 we are unable to provide this information as we do not possess it.

If there were any alterations required to the plan, this was agreed and implemented by Network Plus and Stockport Council.

Reinstatement and inspections were done as the scheme progressed, with any defect rectified. No site diaries were kept, and Network Plus have been unable to locate any. Therefore, under Regulation 12(4)(e) of Environmental Information Regulations 2004 we are unable to provide this information as it does not exist.

We hope that this response answers your request. However, if you're not satisfied with how we've handled it, you can request an internal review. To do this, please write to us at Environmental

Information Office, Haweswater House, Lingley Mere, Warrington, WA5 3LP or email us at EIRRequests@uuplc.co.uk, addressing your request to [REDACTED], and explaining why you're unhappy with our response. We'll be very happy to review your request and ensure we've done everything we can to assist you.

Any request for an internal review should be made within 40 working days of receipt of this response, and we will reply within 40 working days from receipt of the request for internal review.

Many thanks